




WARRIOR

IN-DUCT AIR PURIFIER

○ WRA-ER ○ WRA-DER



Made in USA

SUITABLE FOR AIR HANDLER USE
SUITABLE FOR DAMP LOCATIONS

CONVIENT AU TRAITEMENT DE L'AIR
CONVIENT AU EMPLACEMENTS HUMIDES



INPUT: 18-32 VAC, 50/60 HZ,
CURRENT: ER 0.68A, 18 WATTS, DER 1.36A 36 WATTS
INSTALL IN ACCORDANCE WITH NATIONAL ELECTRIC CODE



THIS DEVICE
COMPLIES WITH
PART 18 OF THE
FCC RULES.

WARNING!
PROTECT EYES FROM UV LIGHT. UNPLUG UNIT
OR DISCONNECT POWER BEFORE SERVICING

ATTENTION!
PROTÉGER LES YEUX DE LA LUMIÈRE UV
COUPER UNITÉ OU COUPER LE COURANT AVANT DE



Intertek
3032782


ETL LISTED
CONFORMS TO
UL STD 1598
CERTIFIED TO CAN/CSA
STD C22.2 NO. 250.0



WARRIOR

IN-DUCT AIR PURIFIER

○ WRA-ER ○ WRA-DER



Made in USA

SUITABLE FOR AIR HANDLER USE
SUITABLE FOR DAMP LOCATIONS

CONVIENT AU TRAITEMENT DE L'AIR
CONVIENT AU EMPLACEMENTS HUMIDES



INPUT: 18-32 VAC, 50/60 HZ,
CURRENT: ER 0.68A, 18 WATTS, DER 1.36A 36 WATTS
INSTALL IN ACCORDANCE WITH NATIONAL ELECTRIC CODE



THIS DEVICE
COMPLIES WITH
PART 18 OF THE
FCC RULES.

WARNING!
PROTECT EYES FROM UV LIGHT. UNPLUG UNIT
OR DISCONNECT POWER BEFORE SERVICING
ATTENTION!

PROTÉGER LES YEUX DE LA LUMIÈRE UV
COUPER UNITÉ OU COUPER LE COURANT AVANT DE



ETL LISTED
CONFORMS TO
UL STD 1598
CERTIFIED TO CAN/CSA
STD C22.2 NO. 250.0

